WINDOWWORLD

Featuring **THERMA TRU** DOORS

Window World

"Simply the Best for Less"

A different way.

Welcome

WELCOME TO THE WINDOW WORLD FAMILY.

Our Story.
It all began in 1995 with the unique vision and energetic passion of one man with a dream – to develop a home improvement company with a moral compass like no other.

He would offer only the finest quality products with distinction and integrity – and do so at the lowest possible price. Quite simply, the best for less.

He set out to break the mold and change the remodeling industry. And did he ever.

Today, we are America's Largest Replacement Window Company. We are proud to offer beautiful, world-class products from industry-leading manufacturers of windows, siding and other professional-grade exterior building products. Our manufacturing partners demonstrate a proven record for superior craftsmanship, enduring quality and genuine value. Our combined professionalism and expertise are further assurance Window World is an excellent selection for your home.

We also take pride in our companywide commitment to customer happiness. From start to finish, our knowledgeable and friendly teams provide you with the exceptional customer care and attention to detail you can expect from the Window World brand.

Window World Tops National Remodeling Rankings.

Window World Named Number One Window Company in the Country.
Window World has been ranked the number one replacement window company in the United States by Qualified Remodeler in its 'Top 500' and the number one replacement contractor nationwide in Remodeling Magazine's 'Remodeling 550'.

Our Promise.
We do our best on every job, every day, because at Window World we trust that a great job today will bring referrals from family, friends and neighbors tomorrow.

Our promise to you is straightforward: superior products, professionally installed at a guaranteed low price – *simply the best for less.*®
Welcome to Window World.

Tammy Whitworth

CEO, Window World

Table of Contents

When remodeling your home, be sure to consider the impact you can make with a new entry door. Nothing makes a great first impression on your neighbors, friends, and family like an attractive entryway—it is truly the focal point of your home's exterior.

Window World has partnered with Therma-Tru® to offer you a wide selection of the most popular doors available today with some incredible added features. Year after year building professionals rank the Therma-Tru® brand as the one they use most and recognize.

Window World doors offer beauty, durability, security, and are tested to the industry's highest standards. Our broad offering of door styles combined with a wide array of paint, stain, glass and hardware options ensures that every homeowner will find an entry door to satisfy their own personal style.

Like all Window World products, our entry doors provide unsurpassed quality and value, and are backed by an industry leading warranty.

The Window World Difference

1 2 3 4 5 6 7

1 Therma-Tru® Tru-Defense® System STANDARD and Tru-Defense® Warranty Rider on all fiberglass doors.

2 Dura-Frame Rot Proof Jamb and Brickmould STANDARD.

3 Ball Bearing Hinge STANDARD.

4 Hand rubbed stain application on factory stained unit with sprayed clear coat for maximum beauty.

seal-rite FINISHING system *
10 Year Warranty

5 Factory sprayed paint finishes with a durable clear coat available in a variety of standard colors.

seal-rite FINISHING system *
10 Year Warranty

6 Clad Jamb options for maximum protection from the elements.

7 Adjustable Security Strike Plate** wraps around the door jamb and withstands up to three times the force of standard strike plates to help protect your home from forced entry.

* See representative for details on 10 year warranty.

** Not available on certain configurations.

4

Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

Corner Seal Pad
Bottom Sweep
Sill Cap
Air & Moisture
Weatherstrip
Sill

① **Sill** and **bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.

② **Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.

③ **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.

④ **Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**.

⑤ **Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.

⑥ **Lip-lite frame** features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

A Complete Door System

Composite Adjustable Sills ✛
Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.

Dual-Bulb / Dual-Fin Bottom Sweeps ✛
(Inswing Only) A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.

7-Shape Corner Seal Pads ✛
(Inswing Only) Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.

Removable Weatherstrip ✛
Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.

Multi-Point Locking Systems ✛
(Recommended) Increased engagement between door and frame enhances stability and the homeowner's sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)

Ball-Bearing Hinges ✛
Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft® doors and doors with glass.)

Frame Components ✛
Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.

Additional components:
Sill Pans ✛ , Rain Protection ✛ , Strike Plate and Astragals ✛ .

Note: For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense. The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation. See your Therma-Tru seller or visit www.thermatru.com for more, including details on ENERGY STAR qualified products.

Classic-Craft®

Black Nickel   **Brushed Nickel**

Villager™   Page 8
Glass Privacy Rating: **5**

Black Nickel   **Brushed Nickel**

Homeward™   Page 8, 16
Glass Privacy Rating: **4**

Wrought Iron

Augustine®   Page 12
Glass Privacy Rating: **10**

Brushed Nickel

Black Nickel   **Brass**

Provincial™   Page 14
Glass Privacy Rating: **6**

Black Nickel   **Brushed Nickel**

Longford™   Page 10
Glass Privacy Rating: **8**

Brushed Nickel

Black Nickel   **Brass**

Cambridge™   Page 14
Glass Privacy Rating: **8**

Black Nickel   **Brushed Nickel**

Lucerna®   Page 10, 12
Glass Privacy Rating: **7**

Rainglass
(XR) **8**

Granite Glass
(XN) **10**

Privacy Glass
Page 9, 17

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a superior performance seal.

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear   Opaque

Also Available: Low-E Glass, Solid Panel

Fiber-Classic® & Smooth-Star®

Black Nickel **Brushed Nickel**
Blackstone® Page 20
Glass Privacy Rating: **7**

Black Nickel **Brushed Nickel**
Maple Park® Page 22
Glass Privacy Rating: **6**

Black Nickel
Avonlea® Page 24
Glass Privacy Rating: **4**

Black Nickel **Brushed Nickel**
Saratoga™ Page 26
Glass Privacy Rating: **7**

Black Nickel **Brushed Nickel**
Wellesley™ Page 28
Glass Privacy Rating: **6**

Black Nickel **Brass**
Concorde™ Page 30
Glass Privacy Rating: **8**

Brass
Crystal Diamonds™
Page 32
Glass Privacy Rating: **8**

Internal Blinds
Page 38, 41, 42

Rainglass
(XR) **8**

Granite Glass
(XN) **10**

Privacy Glass
Page 34

Grilles Between Glass (GBGs)
Page 37, 41, 42

- Thermally sealed between two panes of tempered glass.
- Get a divided lite look with the convenience of a smooth, easy-to-clean glass surface.

Look for the ( ) icon.

Contour GBG Bar Option

GBG Color Options

White   Tan*
Almond*   Stone*
Bronze*

Fixed Grilles
Page 37, 41, 42

- Molded as part of the lite frame on the interior and exterior panes of tempered glass.
- Can be stained or painted to complement home décor.

Look for the (◆) icon.

ENERGY STAR PARTNER

Also Available: Low-E, Clear Glass & Solid Panel

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.

Classic-Craft®
American Style Collection™

THERMA-TRU ACCUGRAIN TECHNOLOGY® • LIFETIME LIMITED WARRANTY • ENERGY STAR PARTNER

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1 — **5** — 10
Clear   Opaque

Villager™

CCA212	CCA232	CCA3402SL	CCA212SL
3'0" x 6'8"	3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1 — **4** — 10
Clear   Opaque

Homeward™

CCA211	CCA221	CCA3401SL	CCA211SL
3'0" x 6'8"	3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"

Features / Options Key

◆ **Black Nickel Caming (1D)**
▦ **Brushed Nickel Caming (1C)**
◣ **Simulated Divided Lite (SDL)**
◐ **Flush-Glazed Glass (FG)**
✹ **Low-E Glass (LE)**

Optional Dentil Shelves
Available option for all American Style Collection doors.

4-Block Dentil Shelf   **16-Block Dentil Shelf**

Privacy Glass
The first style number listed under each image matches the privacy glass option shown.
XR = Rainglass
XN = Granite Glass

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, warranties and ENERGY STAR qualified products.

Privacy

CCA210XR CCA210XN	CCA230XR CCA230XN	CCA240XR CCA240XN	CCA260XR CCA260XN	CCA3400XRSL CCA3400XNSL	CCA3450XRSL CCA3450XNSL
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"

Privacy Rating: **8**

Rainglass (XR)

Privacy Rating: **10**

Granite (XN)

Glass Privacy Rating Scale

1 **2** 3 4 **5** 6 **7** 8 9 **10**

Clear   Opaque

Low-E

CCA210	CCA230	CCA240	CCA260	CCA3400SL	CCA3450SL
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"

In cold weather, Low-E glass reduces the loss of heat by reflecting the heat back inside the home.

In warm weather, Low-E glass reflects the sun's rays off of the glass, keeping the interior of the home cool.

Glass Privacy Rating Scale

1   **10**

Clear   Opaque

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.

Classic-Craft®
Mahogany Collection™

THERMA-TRU **ACCUGRAIN** TECHNOLOGY® · **LIFETIME LIMITED WARRANTY** · ENERGY STAR PARTNER

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1 — 8 — 10
Clear   Opaque

Longford™

CCM203	CCM703	CCM803	CCM3403SL	CCM3303SL
◆ ▦	◆ ▦	◆ ▦	▲ ◆ ▦	▲ ◆ ▦
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	12" x 6'8"	10" x 6'8"
			14" x 6'8"	12" x 6'8"
				14" x 6'8"

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1 — 7 — 10
Clear   Opaque

Lucerna®

CCM204	CCM702	CCM822	CCM3412SL	CCM3302SL
◆ ▦	◆ ▦	◆ ▦	▲ ◆ ▦	▲ ◆ ▦
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	12" x 6'8"	10" x 6'8"
			14" x 6'8"	12" x 6'8"
				14" x 6'8"

Solid Panel

CCM60	CCM801	CCM3400SL
3'0" x 6'8"	3'0" x 6'8"	◉
		12" x 6'8"
		14" x 6'8"

Features / Options Key

◆ Black Nickel Caming (1D)

▦ Brushed Nickel Caming (1C)

◉ Flush-Glazed Glass (FG)

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, warranties and ENERGY STAR qualified products.

Classic-Craft® Mahogany Collection™

Seamlessly blends Southwestern and European styling with rustic wood grains to evoke Old World charm.

Classic-Craft®
Rustic Collection™

THERMA-TRU ACCUGRAIN TECHNOLOGY® · **LIFETIME LIMITED WARRANTY** **energy ENERGY STAR PARTNER**

Wrought Iron

Glass Privacy Rating Scale

1 —————————— **10**
Clear   Opaque

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1 ————**7**———— 10
Clear   Opaque

Augustine®

CCR04037 ✕	CCR20537 ✕	CCR3400SL 💧
3'0"x 6'8"	3'0"x 6'8"	12"x 6'8" 14"x 6'8"

Lucerna®

CCR04022 ◆▦	CCR20522 ◆▦	CCR3412SL 💧◆▦
3'0"x 6'8"	3'0"x 6'8"	12"x 6'8" 14"x 6'8"

Solid Panel

CCR205	CCR040	CCR200
3'0" x 6'8"	3'0"x 6'8"	3'0"x 6'8"

Features / Options Key   **Clavos & Strap Hinge**

◆ **Black Nickel Caming (1D)**   💧 **Flush-Glazed Glass (FG)**
▦ **Brushed Nickel Caming (1C)**   ✕ **Wrought Iron (1W)**

Note: Augustine features lite frame with authentic wrought iron look in a black finish. Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, warranties and ENERGY STAR qualified products.

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.

Classic-Craft®
Oak Collection™

THERMA-TRU ACCUGRAIN TECHNOLOGY · LIFETIME LIMITED WARRANTY · energy ENERGY STAR PARTNER

Brass (1A)

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1	6	10
Clear		Opaque

Provincial™

| CC97 ◆ ∷ ❖ 3'0"x 6'8" | CC77 ◆ ∷ ❖ 3'0"x 6'8" | CC17 ◆ ∷ ❖ 3'0"x 6'8" | CC2040SL ◉ ◆ ∷ ❖ 12"x 6'8" 14"x 6'8" | CC2277SL ◉ ◆ ∷ ❖ 12"x 6'8" 14"x 6'8" |

Brass (1A)

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1	8	10
Clear		Opaque

Cambridge™

| CC96 ◆ ∷ ❖ 3'0"x 6'8" | CC76 ◆ ∷ ❖ 3'0"x 6'8" | CC16 ◆ ∷ ❖ 3'0"x 6'8" | CC2044SL ◉ ◆ ∷ ❖ 12"x 6'8" 14"x 6'8" | CC2276SL ◉ ◆ ∷ ❖ 12"x 6'8" 14"x 6'8" |

Solid Panel

| CC11 3'0"x 6'8" | CC60 2'8"x 6'8" 3'0"x 6'8" | CC2020SL ◉ 12"x 6'8" 14"x 6'8" |

Features / Options Key

◆ **Black Nickel Caming (1D)**   ❖ **Brass Caming (1A)**

∷ **Brushed Nickel Caming (1C)**   ◉ **Flush-Glazed Glass (FG)**

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, warranties and ENERGY STAR qualified products.

Creates a sleek, modern entryway with a smooth paintable surface for virtually unlimited color options both inside and out.

Classic-Craft®
Canvas Collection®

Black Nickel (1D)   **Brushed Nickel (1C)**

Glass Privacy Rating Scale

1 **4** 10
Clear   Opaque

Homeward™

CCV911
3'0" x 6'8"

CCV921
3'0" x 6'8"

CCV911SL
12" x 6'8"
14" x 6'8"

CCV9011SL
12" x 6'8"
14" x 6'8"

Privacy

CCV920XR CCV920XN	CCV940XR CCV940XN	CCV960XR CCV960XN	CCV910XR CCV910XN	CCV100XRSL CCV100XNSL	CCV910XRSL CCV910XNSL
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	12"x 6'8" 14"x 6'8"	12"x 6'8" 14"x 6'8"

Privacy Rating: 8
Rainglass (XR)

Privacy Rating: 10
Granite (XN)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10
Clear   Opaque

Low-E

CCV920	CCV940	CCV960	CCV910	CCV100SL	CCV9010SL
3'0"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12"x 6'8" 14"x 6'8"	12"x 6'8" 14"x 6'8"

Solid Panel

CCV205	CCV220	CCV060	CCV050	CCV950SL
3'0"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12"x 6'8" 14"x 6'8"

Features / Options Key

◆ Black Nickel Caming (1D)
▦ Brushed Nickel Caming (1C)
▰ Simulated Divided Lites (SDL)
⬟ Flush-Glazed Glass (FG)
✳ Low-E Glass (LE)

Optional Clavos & Strap Hinge

Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.

Canvas 4-Block

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.
XR = Rainglass
XN = Granite Glass

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, warranties and ENERGY STAR qualified products.

Fiber-Classic® & Smooth-Star®
Fiberglass Doors

Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. This interchangeability allows the homeowner to make a selection based on what's most important to them – whether it's the door style, texture (grained or smooth), finish (stained or painted) or glass design – with flexibility between lines.

Fiber-Classic & Smooth-Star fiberglass doors offer:

❚ High-definition panel embossments.
❚ Composite top and bottom rails.
❚ 1-¼" engineered lumber lock and hinge stiles.
❚ 22-½" lock block in Fiber-Classic and 12-½" lock block in Smooth-Star.
❚ Durable, long-lasting fiberglass skins.

❖ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

Fiber-Classic® Mahogany Collection™

❚ Features deep Mahogany graining to complement homes with richer wood tones.

❚ Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0" widths in 6'6", 6'8", 7'0" and 8'0" heights.*

❚ Sidelite Configurations: 10", 12" and 14" options in select styles; full-, 3/4- and 1/2-lite configurations available.

❚ Glass Options: a decorative and privacy glass families, as well as specialty, Low-E (☀) and clear glass available.

❚ Finish Options: Fiber-Classic Mahogany doors can be stained or painted any color.

Factory Finish Colors (Shown on Fiber-Classic Mahogany.)

seal-rite FINISHING system
10 Year Warranty

Light Oak	Natural Oak	Walnut	English Walnut	Mahogany	Cedar	Cherry	Black Cherry	Smoke	American Walnut

*Extended lead times will apply to non-stock sizes.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Fiber-Classic® Oak Collection™

- Features the warm look of Oak graining.

- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0" widths in 6'6", 6'8", 7'0" and 8'0" heights.*

- Sidelite Configurations: 10", 12" and 14" options in select styles; flush-glazed (⬤) available for full-, 3/4- and 1/2-lite configurations.

- Glass Options: a decorative and privacy glass families, as well as specialty, Low-E (☀) glass with grilles, and internal blinds available.

- Finish Options: Fiber-Classic Oak doors can be stained or painted any color.

Smooth-Star®

- Features smooth, ready-to-paint surfaces.

- Door Sizes: 2'0", 2'4", 2'6", 2'8", 2'10", 3'0" and 3'6" widths in 6'6", 6'8", 7'0" and 8'0" heights.*

- Sidelite Configurations: 10", 12" and 14" options in select styles; flush-glazed (⬤) available for full-, 3/4- and 1/2-lite configurations.

- Glass Options: a decorative and privacy glass families, as well as specialty, Low-E (☀) and clear glass available.

- Finish Options: Smooth-Star doors can be painted any color.

Factory Finish Colors (Shown on Fiber-Classic Oak.)

seal-rite FINISHING system — 10 Year Warranty

| Light Oak | Natural Oak | Walnut | English Walnut | Mahogany | Cherry | Cedar | Black Cherry | Smoke | American Walnut |

② **①**

Blackstone®

Black Nickel　　　Brushed Nickel

Glass Privacy Rating Scale

1 **7** **10**
Clear　　　　　　　　　Opaque

ENERGY STAR PARTNER

Traditional English design meets ❶ clear curved bevels, ❷ rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

Features / Options Key

◆ Black Nickel Caming (1D)
⠿ Brushed Nickel Caming (1C)
‡ 7'0" Height Available

Fiber-Classic® Mahogany Collection™

FCM108	FCM765	FCM109	FCM110	FCM760	FCM808SL	FCM765SL	FCM109SL
◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦
2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10"x 6'8"	12"x 6'8"	12"x 6'8"
2'10"x 6'8"	3'0"x 6'8"	2'10"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12"x 6'8"	14"x 6'8"	14"x 6'8"
3'0"x 6'8"		3'0"x 6'8"			14"x 6'8"		

Fiber-Classic® Oak Collection™

FC108	FC765	FC109	FC714	FC801	FC108SL	FC765SL	FC109SL
◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦
2'6"x 6'8"	2'8"x 6'8"	2'6"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10"x 6'8"	12"x 6'8"	12"x 6'8"
2'8"x 6'8" ‡	2'10"x 6'8"	2'8"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12"x 6'8"	14"x 6'8"	14"x 6'8"
2'10"x 6'8" ‡	3'0" x 6'8"	2'10"x 6'8"			14"x 6'8"		
3'0"x 6'8" ‡		3'0"x 6'8"					

Smooth-Star®

| S6002	S975	S6000	S771	S6111	S6002SL	S975SL	S6000SL
◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦	◆ ▦
2'6"x 6'8"	2'8"x 6'8"	2'6"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10"x 6'8"	12"x 6'8"	12"x 6'8"
2'8"x 6'8"	3'0"x 6'8"	2'8"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12" x 6'8"	14"x 6'8"	14"x 6'8"
2'10"x 6'8"		2'10"x 6'8"			14" x 6'8"		
3'0"x 6'8"		3'0"x 6'8"					

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

Maple Park®

Black Nickel   **Brushed Nickel**

Glass Privacy Rating Scale

1 ——————— **6** ——————— 10
Clear   Opaque

ENERGY STAR PARTNER

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with ❶ waterglass, ❷ clear bevels, ❸ granite glass and caming. The curved design adds unique appeal.

Features / Options Key

◆ Black Nickel Caming (1D)

⠿ Brushed Nickel Caming (1C)

Optional Dentil Shelf

4-Block Dentil Shelf*
Available for FCM609 only.

4-Block Dentil Shelf*
Available for S609 only.

Fiber-Classic® Mahogany Collection™

FCM900
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM901
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM609
◆ ⠿
2'8" x 6'8"
3'0" x 6'8"

FCM904
◆ ⠿
2'8" x 6'8"
3'0" x 6'8"

FCM736
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM812SL
◆ ⠿
10" x 6'8"
12" x 6'8"
14" x 6'8"

FCM902SL
◆ ⠿
12" x 6'8"
14" x 6'8"

FCM901SL
◆ ⠿
12" x 6'8"
14" x 6'8"

Fiber-Classic® Oak Collection™

FC900
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC901
◆ ⠿
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC903
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC904
◆ ⠿
2'8" x 6'8"
3'0" x 6'8"

FC736
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC900SL
◆ ⠿
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC902SL
◆ ⠿
12" x 6'8"
14" x 6'8"

FC901SL
◆ ⠿
12" x 6'8"
14" x 6'8"

Smooth-Star®

S6100
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6101
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S609
◆ ⠿
2'8" x 6'8"
3'0" x 6'8"

S6105
◆ ⠿
2'8" x 6'8"
3'0" x 6'8"

S736
◆ ⠿
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

**S6100SL**
◆ ⠿
10" x 6'8"
12" x 6'8"
14" x 6'8"

S6102SL
◆ ⠿
12" x 6'8"
14" x 6'8"

S6101SL
◆ ⠿
12" x 6'8"
14" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

1

2

Avonlea®

Black Nickel

Glass Privacy Rating Scale

1   **4**   10
Clear   Opaque

ENERGY STAR PARTNER

The dainty leaf design seemingly grows upward in

this elegant glass design. Light pours through Avonlea's

❶ clear baroque glass and ❷ bronze waterglass

surrounded by black nickel caming.

Features / Options Key

◆ Black Nickel Caming (1D)

Fiber-Classic® Mahogany Collection™

FCM758
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM764
◆
2'8" x 6'8"
3'0" x 6'8"

FCM761
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM785
◆
2'8" x 6'8"
3'0" x 6'8"

FCM800
◆
2'8" x 6'8"
3'0" x 6'8"

FCM807SL
◆
10" x 6'8"
12" x 6'8"
14" x 6'8"

FCM764SL
◆
12" x 6'8"
14" x 6'8"

FCM761SL
◆
12" x 6'8"
14" x 6'8"

Fiber-Classic® Oak Collection™

FC758
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC764
◆
2'8" x 6'8"
3'0" x 6'8"

FC761
◆
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC785
◆
2'8" x 6'8"
3'0" x 6'8"

FC800
◆
2'8" x 6'8"
3'0" x 6'8"

FC758SL
◆
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC764SL
◆
12" x 6'8"
14" x 6'8"

FC761SL
◆
12" x 6'8"
14" x 6'8"

Smooth-Star®

S962
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S976
◆
2'8" x 6'8"
3'0" x 6'8"

S964
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S988
◆
2'8" x 6'8"
3'0" x 6'8"

S6121
◆
2'8" x 6'8"
3'0" x 6'8"

S962SL
◆
10" x 6'8"
12" x 6'8"
14" x 6'8"

S976SL
◆
12" x 6'8"
14" x 6'8"

S964SL
◆
12" x 6'8"
14" x 6'8"

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

❸

❶

❷

Saratoga™

Black Nickel   **Brushed Nickel**

Glass Privacy Rating Scale

1 ——————————— **7** ——————————— **10**
Clear   Opaque

ENERGY STAR
PARTNER

Saratoga evokes a certain urban sophistication while offering modest privacy with its ❶ clear bevels, ❷ diamond glass, ❸ reed glass and caming. The geometric pattern bridges both modern and traditional designs.

Features / Options Key

◆ Black Nickel Caming (1D)

⠿ Brushed Nickel Caming (1C)

‡ 7'0" Height Available

Optional Dentil Shelf

4-Block Dentil Shelf*
Available for FCM602 only.

4-Block Dentil Shelf*
Available for S602 only.

Fiber-Classic® Mahogany Collection™

FCM905
◆ ::
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM907
◆ ::
2'8"x 6'8"
3'0"x 6'8"

FCM906
◆ ::
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM602
◆ ::
2'8"x 6'8"
3'0"x 6'8"

FCM909
◆ ::
2'8"x 6'8"
3'0"x 6'8"

FCM815SL
◆ ::
10"x 6'8"
12"x 6'8"
14"x 6'8"

FCM907SL
◆ ::
12"x 6'8"
14"x 6'8"

FCM906SL
◆ ::
12"x 6'8"
14"x 6'8"

Fiber-Classic® Oak Collection™

FC905
◆ ::
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC907
◆ ::
2'8"x 6'8"
3'0"x 6'8"

FC906
◆ ::
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC908
◆ ::
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC909
◆ ::
2'8"x 6'8"
3'0"x 6'8"

FC905SL
◆ ::
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC907SL
◆ ::
12"x 6'8"
14"x 6'8"

FC906SL
◆ ::
12"x 6'8"
14"x 6'8"

Smooth-Star®

S154
◆ ::
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S6092
◆ ::
2'8"x 6'8"
3'0"x 6'8"

S213
◆ ::
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S602
◆ ::
2'8"x 6'8"
3'0"x 6'8"

S20
◆ ::
2'8"x 6'8"
3'0"x 6'8"

S154SL
◆ ::
10"x 6'8"
12"x 6'8"
14"x 6'8"

S6092SL
◆ ::
12"x 6'8"
14"x 6'8"

S291SL
◆ ::
12"x 6'8"
14"x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

Wellesley™

Brass

Black Nickel

Brushed Nickel

Glass Privacy Rating Scale

1	6	10
Clear		Opaque

ENERGY STAR PARTNER

Simple yet charming, Wellesley's Victorian-inspired design uses ❶ clear baroque glass, ❷ clear curved bevels, ❸ waterglass, ❹ granite glass and caming to add beauty to any entry.

Features / Options Key

◆ Black Nickel Caming (1D)   ❖ Brass Caming (1A)

⠿ Brushed Nickel Caming (1C)   ‡ 7'0" Height Available

Fiber-Classic® Mahogany Collection™

FCM104	FCM105	FCM106	FCM125	FCM721	FCM818SL	FCM147SL	FCM105SL
◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖
2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10 "x6'8 "	12"x 6'8"	12"x 6'8"
2'10"x 6'8"	2'10"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	2'10"x 6'8"	12"x 6'8"	14"x 6'8"	14"x 6'8"
3'0"x 6'8"	3'0"x 6'8"			3'0"x 6'8"	14"x 6'8"		

Fiber-Classic® Oak Collection™

FC104	FC105	FC713	FC125	FC721	FC104SL	FC147SL	FC105SL
◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖
2'6"x 6'8"	2'6"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8" ‡	10"x 6'8"	12"x 6'8"	12"x 6'8"
2'8"x 6'8" ‡	2'8"x 6'8" ‡	3'0"x 6'8"	3'0"x 6'8"	2'10"x 6'8" ‡	12"x 6'8"	14"x 6'8"	14"x 6'8"
2'10"x 6'8" ‡	2'10"x 6'8" ‡			3'0"x 6'8" ‡	14"x 6'8"		
3'0"x 6'8" ‡	3'0"x 6'8" ‡						

Smooth-Star®

S155	S214	S774	S6117	S721	S155SL	S6091SL	S292SL
◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖	◆ ▦ ❖
2'6"x 6'8"	2'6"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10"x 6'8"	10"x 6'8"	12"x 6'8"
2'8"x 6'8"	2'8"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	2'10"x 6'8"	12"x 6'8"	12"x 6'8"	14"x 6'8"
2'10"x 6'8"	2'10"x 6'8"			3'0"x 6'8"	14"x 6'8"	14"x 6'8"	
3'0"x 6'8"	3'0"x 6'8"						

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

① ② ③

Concorde™

Brass

Black Nickel   **Brushed Nickel**

Glass Privacy Rating Scale

| 1 | 8 | 10 |
Clear   Opaque

ENERGY STAR PARTNER

There's just something friendly about Concorde's cheery four-leaf design. ❶ Glue chip glass, ❷ clear curved bevels, ❸ clear glass and caming make up its Old World charm.

Features / Options Key

◆ Black Nickel Caming (1D)   ❖ Brass Caming (1A)
⦂⦂ Brushed Nickel Caming (1C)

Fiber-Classic® Mahogany Collection™

FCM912
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

FCM911
◆ ▪▪ ❖
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM916
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

FCM914
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

FCM735
◆ ▪▪ ❖
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM809SL
◆ ▪▪
10" x 6'8"
12" x 6'8"
14" x 6'8"

FCM912SL
◆ ▪▪ ❖
12" x 6'8"
14" x 6'8"

FCM911SL
◆ ▪▪ ❖
12" x 6'8"
14" x 6'8"

Fiber-Classic® Oak Collection™

FC912
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

FC911
◆ ▪▪ ❖
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC916
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

FC914
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

FC917
◆ ▪▪ ❖
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC910SL
◆ ▪▪ ❖
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC912SL
◆ ▪▪ ❖
12" x 6'8"
14" x 6'8"

FC911SL
◆ ▪▪ ❖
12" x 6'8"
14" x 6'8"

Smooth-Star®

S912
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

S426
◆ ▪▪ ❖
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S773
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

S17
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

S454
◆ ▪▪ ❖
2'8" x 6'8"
3'0" x 6'8"

S416SL
◆ ▪▪ ❖
10" x 6'8"
12" x 6'8"
14" x 6'8"

S757SL
◆ ▪▪ ❖
12" x 6'8"
14" x 6'8"

S430SL
◆ ▪▪ ❖
12" x 6'8"
14" x 6'8"

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

②

①

Crystal Diamonds™

Brass

Glass Privacy Rating Scale

1		**9**	10
Clear			Opaque

ENERGY STAR PARTNER

Perfect for the place where friends and families meet. And with its ❶ glue chip glass, ❷ clear bevels and brass caming, Crystal Diamonds provides privacy with a welcoming touch.

Features / Options Key

❖ Brass Caming (1A)

Fiber-Classic® Mahogany Collection™

FCM757	FCM762	FCM759	FCM783	FCM799	FCM810SL	FCM762SL	FCM759SL
❖	❖	❖	❖	❖	❖	❖	❖
2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10"x 6'8"	12"x 6'8"	12"x 6'8"
2'10"x 6'8"	3'0"x 6'8"	2'10"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12"x 6'8"	14"x 6'8"	14"x 6'8"
3'0"x 6'8"		3'0"x 6'8"			14"x 6'8"		

Fiber-Classic® Oak Collection™

FC762	FC759	FC783	FC799	FC805	FC757SL	FC762SL	FC759SL
❖	❖	❖	❖	❖	❖	❖	❖
2'8"x 6'8"	2'6"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'6"x 6'8"	10"x 6'8"	12"x 6'8"	12"x 6'8"
3'0"x 6'8"	2'8"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	2'8"x 6'8"	12"x 6'8"	14"x 6'8"	14"x 6'8"
	2'10"x 6'8"			3'0"x 6'8"	14"x 6'8"		
	3'0"x 6'8"						

Smooth-Star®

| S86	S726	S772	S16	S754	S716SL	S756SL	S730SL
❖	❖	❖	❖	❖	❖	❖	❖
2'8"x 6'8"	2'6"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	2'8"x 6'8"	10"x 6'8"	12"x 6'8"	12"x 6'8"
3'0"x 6'8"	2'8"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	3'0"x 6'8"	12"x 6'8"	14"x 6'8"	14"x 6'8"
	2'10"x 6'8"				14"x 6'8"		
	3'0"x 6'8"						

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

Low-E
Privacy Rating: **1**

Low-E

More energy efficient than traditional clear glass, Low-E glass is standard on all.

In cold weather, Low-E glass reduces the loss of heat by reflecting the heat back inside the home.

In warm weather, Low-E glass reflects the sun's rays off of the glass, keeping the interior of the home cool.

Glass Privacy Rating Scale

1 Clear   **10** Opaque

Rainglass (XR)
Privacy Rating: **8**

Granite (XN)
Privacy Rating: **10**

Privacy Glass

Each design enhances a home with privacy, peace of mind and the beauty of textured glass while still allowing natural light to brighten the interior.

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10
Clear   Opaque

ENERGY STAR PARTNER

Features / Options Key

🟫 Simulated Divided Lites (SDL)*
☀ Low-E Glass (LE)
‡ 7'0" Height Available

Optional Dentil Shelves
Available option on Craftsman-style doors.

Fiber-Classic® Mahogany 4-Block*

Smooth-Star® 4-Block*

Fiber-Classic® Mahogany Collection™

| FCM606 🚩☀️ FCM606XR FCM606XN 🚩 2'8"x 6'8" 3'0"x 6'8" | FCM607 🚩☀️ FCM607XR FCM607XN 2'8"x 6'8" 3'0"x 6'8" | FCM608 🚩☀️ FCM608XN FCM608XR 2'8"x 6'8" 3'0"x 6'8" | FCM10 ☀️ FCM10XR FCM10XN 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | FCM62 ☀️ FCM62XR FCM62XN 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | FCM601 ☀️ FCM601XN FCM601XR 2'8"x 6'8" 3'0"x 6'8" | FCM61 ☀️ FCM61XR FCM61XN 2'8"x 6'8" 3'0"x 6'8" | FCM12101SL ☀️ FCM12101XNSL FCM12101XRSL 10"x 6'8" 12"x 6'8" 14"x 6'8" | FCM62SL ☀️ FCM62XRSL FCM62XNSL 12"x 6'8" 14"x 6'8" |

Fiber-Classic® Oak Collection™

| FC10 ☀️ FC10XN FC10XR 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 3'0"x 6'8" ‡ | FC62 ☀️ FC62XN FC62XR 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8" | FC61 ☀️ FC61XN FC61XR 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8" | FC47SL ☀️ FC47SLXN FC47SLXR 10"x 6'8" 12"x 6'8" 14"x 6'8" | FC48SL ☀️ FC48SLXN FC48 SLXR 12"x 6'8" 14"x 6'8" |

Smooth-Star®

| S606 🚩☀️ S606XR S606XN 🚩 2'8"x 6'8" 3'0"x 6'8" | S607 🚩☀️ S607XN S607XR 2'8"x 6'8" 3'0"x 6'8" | S608 🚩☀️ S608XR S608XN 🚩 2'8"x 6'8" 3'0"x 6'8" | S118 ☀️ S118XR S118XN 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | S206 ☀️ S206XR S206XN 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | S601 ☀️ S601XR S601XN 2'8"x 6'8" 3'0"x 6'8" | S296 ☀️ S296XN S296XR 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | S100SL ☀️ S100XRSL S100XNSL 10"x 6'8" 12"x 6'8" 14"x 6'8" |

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

Clear Glass with Divided Lites

Glass Privacy Rating Scale

1 ————————————— **10**

Clear   Opaque

ENERGY STAR PARTNER

Enhance the beauty of any home with a variety of grille options for entry and patio doors.

▮ Coordinate with the home's window patterns for a cohesive look and increased curb appeal.

▮ Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.

▮ Available glass options include energy-efficient Low-E and clear.

Features / Options Key

☀ Low-E Glass (LE)

🔹 Contoured Grilles Between Glass (GBGC)—Must specify grille type

◆ Fixed Grilles (FXG)—Must specify grille type

Fiber-Classic® Mahogany Collection™

FCM138
◆◆☀
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM18
◆☀
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM65
◆☀
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FCM198
◆☀
2'8" x 6'8"
3'0" x 6'8"

FCM12102SL
◆◆☀
10"x 6'8"
12"x 6'8"
14"x 6'8"

FCM65SL
◆◆☀
12"x 6'8"
14"x 6'8"

Fiber-Classic® Oak Collection™

FC138
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC18
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC65
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC23
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
3'0"x 6'8"

FC198
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
3'0"x 6'8"

FC18SL
◆◆☀
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC63SL
◆◆☀
12"x 6'8"
14"x 6'8"

Smooth-Star®

S128
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S108
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S262
◆◆☀
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S255
◆◆☀
2'8" x 6'8"
3'0" x 6'8"

S198
◆☀
2'6"x 6'8"
2'8" x 6'8"
3'0"x 6'8"

S308SL
◆◆☀
10"x 6'8"
12"x 6'8"
14"x 6'8"

S263SL
◆◆☀
12"x 6'8"
14"x 6'8"

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, and ENERGY STAR qualified products.

Internal Blinds

A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

Fiber-Classic® Mahogany Collection™

FCM141 ☀
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM140 ☀
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM1286SL ☀
10"x 6'8"
12"x 6'8"
14"x 6'8"

FCM140SL ☀
12"x 6'8"
14"x 6'8"

Fiber-Classic® Oak Collection™

FC141 ☀
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC140 ☀
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC141SL ☀
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC140SL ☀
12"x 6'8"
14"x 6'8"

Smooth-Star®

S130
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S132
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S130SL ☀
12"x 6'8"
14"x 6'8"

S132SL ☀
12"x 6'8"
14"x 6'8"

Features / Options Key

☀ Optional Low-E Glass (LE)

‡ 7'0" Height Available

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass designs and ENERGY STAR qualified products.

Fiber-Classic® Mahogany Collection™

FCM31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM755
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM134
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM60
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Fiber-Classic® Oak Collection™

FC31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC808
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC134
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC60
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Smooth-Star®

S93
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S960
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S11
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S210
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Solid Panel

Fiber-Classic® & Smooth-Star®

Hinged Patio Door Systems

Perfect for patio entrances, hinged door styles continue to grow in popularity. Vented sidelites welcome fresh air into the home with style, eliminating the need for a screen door.

LIFETIME LIMITED WARRANTY
Fiberglass

ENERGY STAR PARTNER

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Featuring premium stainless steel construction that resists corrosion.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)

Optional Door MPLS ✦

Tongue
(For single door systems.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	

Shootbolt
(For double door systems.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	

Fiber-Classic® Mahogany Collection™

FCM141
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

FCM18
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

FCM10
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

Fiber-Classic® Oak Collection™

FC141
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

FC18
♦ ☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

FC10
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

Smooth-Star®

S130
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

S108
♦ ◆ ☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

S118
☀
4'8"x 6'8" ▲
5'0"x 6'8"
5'4"x 6'8"
5'8"x 6'8" ●
6'0"x 6'8"

Patio Door Configuration

One stationary panel and one operating panel. Available with center hinge or jamb hinge. Inswing and outswing.

Double Door Configuration

Two operating panels. One panel with attached astragal. Available inswing and outswing.

Features / Options Key

☀ **Optional Low-E Glass (LE)**

◆ **Fixed Grilles (FXG)**

▲ **5' Retrofit Patio Doors**

● **6' Retrofit Patio Doors**

♦ **Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)**

Note: For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense. The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation. Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass designs, warranties and ENERGY STAR qualified products.

A versatile option, coupling distinctive styling with affordability, to match multiple home styles from the front door to the house-to-garage entrance.

ProfilesTM Steel

10 YEAR LIMITED WARRANTY · ENERGY STAR PARTNER

Internal Blinds

130
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
3'6"x 6'8"

132HD
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

130SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

132SLHD
12"x 6'8"
14"x 6'8"

Solid Panel

210HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

100
2'0"x 6'8"
2'4"x 6'8" ‡
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Clear Glass with Divided Lites

128
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
3'6"x 6'8"

108
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
3'6"x 6'8"

262HD
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

255HD
2'8"x 6'8"
3'0"x 6'8"

632SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

263SLHD
12"x 6'8"
14"x 6'8"

Low-E & Clear

118
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
3'6"x 6'8"

206HD
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

256HD
2'8"x 6'8"
3'0"x 6'8"

296HD
2'8"x 6'8"
3'0"x 6'8"

100SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

210SLHD
12"x 6'8"
14"x 6'8"

Glass Privacy Rating Scale
1 — 10
Clear — Opaque

In cold weather, Low-E glass reduces the loss of heat by reflecting the heat back inside the home.

In warm weather, Low-E glass reflects the sun's rays off of the glass, keeping the interior of the home cool.

Glass Privacy Rating Scale
1 — 10
Clear — Opaque

Features / Options Key

☀ **Low-E Glass (LE)**

🟫 **Simulated Divided Lites (SDL)***

◆ **Fixed Grilles (FXG)**

🔶 **Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)**

‡ **7'0" Height Available**

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings, glass designs, warranties and ENERGY STAR qualified products.

Door Handing Options (Please note selection on front of order form)

Single Door – Inswing (as viewed from exterior)	Double Door – Inswing (as viewed from exterior)
RH　　LH	RH　　　　　LH

Patio Doors – Inswing (as viewed from exterior)

RH Jamb Hinge	RH Center Hinge	LH Jamb Hinge	LH Center Hinge

Single Door – Outswing (as viewed from exterior)	Double Door – Outswing (as viewed from exterior)
RH　　LH	RH　　　　　LH

Inswing door system

	Size	Actual Size	Rough Opening	Brick Opening
Single Door	2'0"	25 1/2" x 81 5/8"	26 1/2" x 82"	28 3/8" x 83"
	2'6"	31 1/2" x 81 5/8"	32 1/2" x 82"	34 3/8" x 83"
	2'8"	33 1/2" x 81 5/8"	34 1/2" x 82"	36 3/8" x 83"
	2'10"	35 1/2" x 81 5/8"	36 1/2" x 82"	38 3/8" x 83"
	3'0"	37 1/2" x 81 5/8"	38 1/2" x 82"	40 3/8" x 83"
	3'6"	43 1/2" x 81 5/8"	44 1/2" x 82"	46 3/8" x 83"
Double Door	5'0"	62 1/4" x 81 5/8"	63 1/4" x 82"	65 5/16" x 83"
	5'4"	66 1/4" x 81 5/8"	67 1/4" x 82"	69 5/16" x 83"
	6'0"	74 1/4" x 81 5/8"	75 1/4" x 82"	77 5/16" x 83"

Outswing door system

	Size	Actual Size	Rough Opening	Brick Opening
Single Door	2'0"	25 1/2" x 81"	26 1/2" x 81 11/16"	28 3/8" x 82 11/16"
	2'6"	31 1/2" x 81"	32 1/2" x 81 11/16"	34 3/8" x 82 11/16"
	2'8"	33 1/2" x 81"	34 1/2" x 81 11/16"	36 3/8" x 82 11/16"
	2'10"	35 1/2" x 81"	36 1/2" x 81 11/16"	38 3/8" x 82 11/16"
	3'0"	37 1/2" x 81"	38 1/2" x 81 11/16"	40 3/8" x 82 11/16"
	3'6"	43 1/2" x 81"	44 1/2" x 81 11/16"	46 3/8" x 82 11/16"
Double Door	5'0"	62 1/4" x 81"	63 1/4" x 81 11/16"	65 5/16" x 82 11/16"
	5'4"	66 1/4" x 81"	67 1/4" x 81 11/16"	69 5/16" x 82 11/16"
	6'0"	74 1/4" x 81"	75 1/4" x 81 11/16"	77 5/16" x 82 11/16"

Door w/Exact Size Sidelite(s) – Inswing

	Size	Actual Size	Rough Opening	Brick Opening
One 10" Sidelite	2'8"	45" x 81 5/8"	46" x 82"	47 7/8" x 83"
	3'0"	49" x 81 5/8"	50" x 82"	51 7/8" x 83"
One 12" Sidelite	2'8"	47" x 81 5/8"	48" x 82"	49 7/8" x 83"
	3'0"	51" x 81 5/8"	52" x 82"	53 7/8" x 83"
One 14" Sidelite	2'8"	49" x 81 5/8"	50" x 82"	51 7/8" x 83"
	3'0"	53" x 81 5/8"	54" x 82"	55 7/8" x 83"
Two 10" Sidelites	2'8"	56 1/2" x 81 5/8"	57 1/2" x 82"	59 3/8" x 83"
	3'0"	60 1/2" x 81 5/8"	61 1/2" x 82"	63 3/8" x 83"
Two 12" Sidelites	2'8"	60 1/2" x 81 5/8"	61 1/2" x 82"	63 3/8" x 83"
	3'0"	64 1/2" x 81 5/8"	65 1/2" x 82"	67 3/8" x 83"
Two 14" Sidelites	2'8"	64 1/2" x 81 5/8"	65 1/2" x 82"	67 3/8" x 83"
	3'0"	68 1/2" x 81 5/8"	69 1/2" x 82"	71 3/8" x 83"

Door & Sidelites(s) Continuous Sill – Inswing

	Size	Actual Size	Rough Opening	Brick Opening
One 10" Sidelite	3'0"	48 1/2" x 81 5/8"	49 1/2" x 82"	51 13/32" x 83"
One 12" Sidelite	3'0"	50 1/2" x 81 5/8"	51 1/2" x 82"	53 13/32" x 83"
One 14" Sidelite	3'0"	52 1/2" x 81 5/8"	53 1/2" x 82"	55 13/32" x 83"
Two 10" Sidelites	3'0"	59 1/2" x 81 5/8"	60 1/2" x 82"	62 13/32" x 83"
Two 12" Sidelites	3'0"	63 1/2" x 81 5/8"	64 1/2" x 82"	66 13/32" x 83"
Two 14" Sidelites	3'0"	67 1/2" x 81 5/8"	68 1/2" x 82"	70 13/32" x 83"

7 Foot Door Systems – Inswing (Fiber-Classic Select Styles Only)

	Size	Actual Size	Rough Opening	Brick Opening
Single Door	2'8"	33 1/2" x 85 5/8"	34 1/2" x 86 1/2"	36 3/8" x 87 1/2"
	3'0"	37 1/2" x 85 5/8"	38 1/2" x 86 1/2"	40 3/8" x 87 1/2"
Double Door	5'4"	66 1/4" x 85 5/8"	67 1/4" x 86 1/2"	69 5/16" x 87 1/2"
	6'0"	75 1/4" x 85 5/8"	75 1/4" x 86 1/2"	77 5/16" x 87 1/2"

Patio Doors

	Unit Width	Actual Size	Rough Opening	Brick Opening	Panel Size
Two-panel (w/mullion) Inswing	4'8"	58 1/2" x 79 1/4"	59 5/8" x 80"	61 9/16" x 81"	2'4"
	5'0"	62 1/2" x 79 1/4"	63 5/8" x 80"	65 9/16" x 81"	2'6"
	5'4"	66 1/2" x 79 1/4"	67 5/8" x 80"	69 9/16" x 81"	2'8"
	5'8"	70 1/2" x 79 1/4"	71 5/8" x 80"	73 9/16" x 81"	2'10"
	6'0"	74 1/2" x 79 1/4"	75 5/8" x 80"	77 9/16" x 81"	3'0"
Two-panel (w/mullion) Outswing	4'8"	58 1/2" x 79 1/4"	59 5/8" x 80"	61 9/16" x 81"	2'4"
	5'0"	62 1/2" x 79 1/4"	63 5/8" x 80"	65 9/16" x 81"	2'6"
	5'4"	66 1/2" x 79 1/4"	67 5/8" x 80"	69 9/16" x 81"	2'8"
	5'8"	70 1/2" x 79 1/4"	71 5/8" x 80"	73 9/16" x 81"	2'10"
	6'0"	74 1/2" x 79 1/4"	75 5/8" x 80"	77 9/16" x 81"	3'0"

Double Doors

	Size	Actual Size	Rough Opening	Brick Opening	Panel Size
Two-panel (w/astragal) Inswing	4'8"	58 1/4" x 79 1/4"	59 1/4" x 80"	61 5/16" x 82 1/2"	2'4"
	5'0"	62 1/4" x 79 1/4"	63 1/4" x 80"	65 5/16" x 82 1/2"	2'6"
	5'4"	66 1/4" x 79 1/4"	67 1/4" x 80"	69 5/16" x 82 1/2"	2'8"
	5'8"	70 1/4" x 79 1/4"	71 1/4" x 80"	73 5/16" x 82 1/2"	2'10"
	6'0"	74 1/4" x 79 1/4"	75 1/4" x 80"	77 5/16" x 82 1/2"	3'0"
Two-panel (w/astragal) Outswing	4'8"	58 1/4" x 79 1/4"	59 1/4" x 80"	61 5/16" x 82 1/2"	2'4"
	5'0"	62 1/4" x 79 1/4"	63 1/4" x 80"	65 5/16" x 82 1/2"	2'6"
	5'4"	66 1/4" x 79 1/4"	67 1/4" x 80"	69 5/16" x 82 1/2"	2'8"
	5'8"	70 1/4" x 79 1/4"	71 1/4" x 80"	73 5/16" x 82 1/2"	2'10"
	6'0"	74 1/4" x 79 1/4"	75 1/4" x 80"	77 5/16" x 82 1/2"	3'0"

FINISHING TOUCH

Stock Paint Options
Paint can be applied to Fiber-Classic®, Smooth-Star® and Profiles™ Steel. Stain is for Fiber-Classic® only.

112 Bright White	100 Snow	102 Pearl	104 White	106 Fog	108 Gray*
110 Black*	120 Coffee	121 Brown*	122 Sand*	123 Tuscan Clay*	124 Beige*
126 Cream*	128 Maple*	130 Navy	132 Wedgewood*	133 Purple	134 Blue
136 Light Blue	138 Teal	142 Pine	144 Forest Green	146 Green	158 Yellow
140 Candy Apple	148 Ruby	152 Merlot	154 Maroon	156 Orange	190 Golden

*Matching Coil Cladding Available

Clad Door Jambs
- Aluminum roll form with a vinyl coat
- Protects exterior door jamb from weather

Stain Options
Stain shown on Fiber-Classic® Oak only.

Light Oak	Walnut	Mahogany	Cedar	Natural Oak
English Walnut	Cherry	Black Cherry	Smoke	American Walnut

Hardware Options
SCHLAGE

Choose your Hardware & your Finish

Polished Brass 605/505 | Antique Brass 609 | Satin Nickel 619 | Aged Bronze 716

See price book for availability of finishes with hardware options

Leverset — Accent, Flair
Locksets — Georgian, Plymouth
Handlesets — Plymouth, Camelot
Deadbolts — Single Thumb Key, Double Key

seal-rite FINISHING system | 10 YEAR LIMITED warranty

Note: Schlage® is not covered under Therma-Tru's warranty, visit www.schlage.com for more information. Review homeowner care instructions at www.sealritedoor.com/service. Actual coverage may vary based on product selected, application method and desired appearance. Colors may vary from an actual application due to fluctuations in staining or printing.

46

One Purchase —
## A Lifetime of Beauty and Performance

When you purchase a Window World fiberglass door by Therma-Tru® you can feel confident that its beauty will endure the test of time. That's because fiberglass won't rot, warp, twist or bow like wood, or dent or rust like steel. We're experts in what fiberglass can do for any entryway – from appearance, safety, security and durability to energy efficiency. In fact, we are so confident that we stand behind each one with a limited lifetime warranty. That means you can look forward to years of worry-free performance with a properly maintained Therma-Tru® door system from Window World.

LIFETIME LIMITED WARRANTY

NO ROTTING LIKE WOOD

NO RUSTING LIKE STEEL

May 2016

ASSOCIATED MATERIALS® INCORPORATED

THERMA TRU® DOORS

Window World
"Simply the Best for Less"